L Number	Hits	Search Text	DB	Time stamp
-	3859	709/220,222,225,226,227,250.ccls.	USPAT	2004/04/30 16:52
_	3859			
ļ -		709/220,222,225,226,227,250.ccls.	USPAT	2004/04/19 09:09
-	701	709/220,222,225,226,227,250.ccls. and (isdn	USPAT	2004/04/19 09:12
		or broadband)		
-	2	(709/220,222,225,226,227,250.ccls. and (isdn	USPAT	2004/04/19 09:12
		or broadband)) and (automatic\$ and config\$, ,
		and modem).ab.		
_	32855	isdn or broadband	USPAT	2004/04/10 00:12
			1	2004/04/19 09:12
-	16	(USPAT	2004/04/19 09:16
		config\$ and modem).ab.		
-	14	((isdn or broadband) and (automatic\$ and	USPAT	2004/04/19 09:12
		config\$ and modem).ab.) not	1	
		((709/220,222,225,226,227,250.ccls. and	1	
		(isdn or broadband)) and (automatic\$ and		
		config\$ and modem).ab.)		
	764	1	110000	2004/04/20 00 15
-	l	(isdn or broadband) and (modem).ab.	USPAT	2004/04/19 09:16
-	0	((isdn or broadband) and (modem).ab.) and	USPAT	2004/04/19 09:16
		(vpi and vci).ab.		
-	0	((isdn or broadband) and (modem).ab.) and	USPAT	2004/04/19 09:16
]		(vpi).ab.]	, , , , , , , , , , , , , , , , , , ,
_	7	, <u>F</u> - , · · ·	USPAT	2004/04/19 09:16
	l '	(negotiate).ab.	325.71	7004/04/13 03:10
[,,,,,,,,,,	0004/01/22 22 2
-	0	(((isdn or broadband) and (modem).ab.) and	USPAT	2004/04/19 09:16
[(negotiate).ab.) and vpi	!	
-	1	((vpi or vci) and modem).ab.	USPAT	2004/04/19 09:17
i -	0	((vpi or vci) and negotiate).ab.	USPAT	2004/04/19 09:18
-	2	((vpi or vci) and isdn).ab.	USPAT	2004/04/19 09:18
_	7	(vpi and vci and configur\$).ab.	USPAT	2004/04/19 09:18
	!	(vpi and vci and configura).ab.	1	1 ' '
-	0	(vpi and vci and discover\$).ab.	USPAT	2004/04/19 09:24
-	0	(vpi and vci and discover).ab.	USPAT	2004/04/19 09:25
-	1	(vpi and vci and automatic\$).ab.	USPAT	2004/04/19 09:25
-	0	(vpi and vci and autconfigur\$).ab.	USPAT	2004/04/19 09:25
-	0	(vpi and vci and autoconfigur\$).ab.	USPAT	2004/04/19 09:25
_	Ō	(vpi and vci and auto-configur\$).ab.	USPAT	2004/04/19 09:25
_	3909		USPAT	
_	0		1	2004/04/30 14:53
-	١	709/220,222,225,226,227,250.ccls. and	USPAT	2004/04/30 15:00
		(discovery and period).ab.]	
ļ -	3	709/220,222,225,226,227,250.ccls. and	USPAT	2004/04/30 15:01
		(discovery and time).ab.		
-	46	709/220,222,225,226,227,250.ccls. and	USPAT	2004/04/30 15:32
		(configuration and time).ab.		,,
-	144		USPAT	2004/04/30 15:32
_	37	najjar.xp. and agent	1	
<u> </u>			USPAT	2004/04/30 15:32
1	3909	709/220,222,225,226,227,250.ccls.	USPAT	2004/04/30 16:52
-	3909		USPAT	2004/04/30 16:52
-	4	709/220,222,225,226,227,250.ccls. and	USPAT	2004/04/30 16:55
[(configur\$ and interval).ab.		
-	1	709/220,222,225,226,227,250.ccls. and	USPAT	2004/04/30 17:04
	_	(discover\$ and interval).ab.		, 51, 50 1, 104
-	5	(709/220,222,225,226,227,250.ccls. and	USPAT	2004/04/30 16:52
			JOSEAL	2004/04/30 16:52
		(configur\$ and interval).ab.) or		
		(709/220,222,225,226,227,250.ccls. and		
		(discover\$ and interval).ab.)		
-	5	709/220,222,225,226,227,250.ccls. and	USPAT	2004/04/30 17:04
	ĺ	(\$configur\$ and interval).ab.		, , , , , , , ,
-	1	(709/220,222,225,226,227,250.ccls. and	USPAT	2004/04/30 16:56
	_	(\$configur\$ and interval).ab.) not		2301,01,30 10.30
		la cara T		
		(configur\$ and interval).ab.)		1
-	10	709/220,222,225,226,227,250.ccls. and	USPAT	2004/04/30 16:57
		(response and interval).ab.		
-	0	709/220,222,225,226,227,250.ccls. and	USPAT	2004/04/30 17:34
		(discover\$ and timeout).ab.		
-	1	709/220,222,225,226,227,250.ccls. and	USPAT	2004/04/30 17:34
	•	(\$configur\$ and timeout).ab.	55171	2004/04/30 1/:34
			Hans	0004/01/00 == 0=
-	0	709/220,222,225,226,227,250.ccls. and	USPAT	2004/04/30 17:32
		(discover\$ and (time adj period)).ab.		1
-	3	709/220,222,225,226,227,250.ccls. and	USPAT	2004/04/30 17:43
	i	(\$configur\$ and (time adj period)).ab.		1
-	0	(discover\$ and timeout and network).ab.	USPAT	2004/04/30 17:34
_	18	(\$configur\$ and timeout).ab.	USPAT	2004/04/30 17:35
		The same of the sa	702.131	~~~ 1 / 3 / 1 / 1 / 3 / 3 / 1 / 3 / 3 / 3 /

-	277	(\$configur\$ and (time adj period)).ab.	USPAT	2004/04/30 17:43
-	20	(\$configur\$ and (time adj period) and network).ab.	USPAT	2004/04/30 17:44
- !	5797	((\$configur\$ and timeout).ab.) orr	USPAT	2004/04/30 17:44
	3,3,	((\$configur\$ and (time adj period) and	002111	2001, 01, 30 1, 111
	20	network).ab.) ((\$configur\$ and timeout).ab.) or	HODAM	2004/04/30 18:01
-	38	((\$configur\$ and (time adj period) and	USPAT	2004/04/30 18:01
		network).ab.)		
-	3362	709/220,221,222,227,228,250.ccls.	USPAT	2004/04/30 18:02
-	69	709/220,221,222,227,228,250.ccls. and ((time	USPAT	2004/04/30 18:07
		adj period) or (period adj time) or timeout)
		or time-out or (time adj interval) or		
		(interval adj time)).ab.		
-	67	(709/220,221,222,227,228,250.ccls. and	USPAT	2004/04/30 18:03
		((time adj period) or (period adj time) or		
1		timeout or time-out or (time adj interval)		
1		or (interval adj time)).ab.) not		
		(((\$configur\$ and timeout).ab.) or		
1		((\$configur\$ and (time adj period) and		
	67	network).ab.))	USPAT	2004/04/20 10 02
-	67	((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or	USPAI	2004/04/30 18:03
		timeout or time-out or (time adj interval)		
		or (interval adj time)).ab.) not		1
		(((\$configur\$ and timeout).ab.) or	1	,
		((\$configur\$ and (time adj period) and		
		network).ab.))) not ((\$configur\$ and (time		
		adj period) and network).ab.)		
	67		USPAT	2004/04/30 18:03
		((time adj period) or (period adj time) or		
		timeout or time-out or (time adj interval)		
		or (interval adj time)).ab.) not	,	
		(((\$configur\$ and timeout).ab.) or		
		((\$configur\$ and (time adj period) and		
		network).ab.))) not ((\$configur\$ and (time		
		adj period) and network).ab.)) not		
	3.0	((\$configur\$ and timeout).ab.)	TTODA III	2004/04/20 10 07
-	38	((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and	USPAT	2004/04/30 18:07
	i	network).ab.) or (((\$configur\$ and		
		timeout).ab.) or ((\$configur\$ and (time adj		
		period) and network).ab.))		
-	52	l =	USPAT	2004/04/30 18:07
		((\$configur\$ and (time adj period) and		
		network).ab.) or (((\$configur\$ and		
		timeout).ab.) or ((\$configur\$ and (time adj		
		period) and network).ab.)) or		
		(709/220,222,225,226,227,250.ccls. and		
		(configur\$ and interval).ab.) or	İ	
		((709/220,222,225,226,227,250.ccls. and	İ	
		(configur\$ and interval).ab.) or		1
		(709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or		
1		(709/220,222,225,226,227,250.ccls. and	1	
		(response and interval).ab.)		
_	86	1 · · · · · · · · · · · · · · · · · · ·	USPAT	2004/04/30 18:13
		adj period) or (period adj time) or timeout		=====================================
		or time-out or (time adj interval) or	1	
		(interval adj time) or (predetermined adj2	}	
		time)).ab.		

(Cine ad) period) or (period ad) time) or timeout or time-out or (time ad) period) and time of time-out or (time ad) interval) and (time ad) period) and (time ad) period) and (time ad) period) and network). ab.) or ((SconfigurS and time ad) period) and network). ab.) or ((SconfigurS and time ad) period) and network). ab.) or ((SconfigurS and time ad) period) and network). ab.) or ((SconfigurS and time ad) period) and network). ab.) or ((SconfigurS and time ad) period) and network). ab.) or ((Top/220, 222, 225, 226, 227, 250, cols. and (configurS and interval). ab.) or (Top/220, 222, 225, 226, 227, 250, cols. and (discoverS and interval). ab.) or (Top/220, 222, 225, 226, 227, 250, cols. and (time ad) period) or (period ad) time) or timeout or time-out or (time ad) interval) or (interval ad) time) or ((SconfigurS and time) and timeout). ab.) or ((SconfigurS and time) ad) period) and network). ab.) or ((SconfigurS and time) ad) period) and network). ab.) or ((SconfigurS and time) ad) period) and network). ab.) or ((SconfigurS and (configurS and interval). ab.)) or ((Top/220, 222, 225, 226, 227, 250, cols. and (configurS and interval). ab.)) or ((Top/220, 222, 225, 226, 227, 250, cols. and (discoverS or configurS). ab.) and (discoverS or configurS). ab. 1 (time ad) period) or (period ad) time) or (interval ad) time) or (interval ad) time) or (interval ad) time) or (interval ad) time) or (interval ad) time) or (interval ad) time) or (interval ad) time) or (interval ad) time) or (Top/220, 222, 225, 226, 227, 250, cols. and (configurS and interval). ab.)) or (Top/220, 222, 225, 226, 227, 250, cols. and (configurS and interval). ab.)) or (Top/220, 222, 225, 226, 227, 250, cols. and (configurS and interval). ab.)) or (Top/220, 222, 225, 226, 227, 250, cols. and (configurS and interval). ab.)) or (Top/220, 222, 225, 226, 227, 250, cols. and (configurS and interval). ab.) or (Top/220, 222, 225, 226, 227, 250, cols. and (configurS and interval). ab.) or (Top/220, 222, 225, 226, 227, 250, cols. and (configurS and interval)		, 			
timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and time adj period) and network).ab.) or (((\$configur\$ and time adj period) and network).ab.) or (((\$configur\$ and time adj period) and network).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time).ab.) or ((\$configur\$ and time adj period) and network).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ or configur\$).ab. 1 ((709/220,222,225,226,227,250.ccls. and (discover\$ or configur\$).ab. 1 ((709/220,222,225,227,228,250.ccls. and (discover\$ or configur\$).ab. 1 ((709/220,222,225,227,228,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ or configur\$).ab. 1 ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and in	-	80	, , , , , , , , , , , , , , , , , , , ,	USPAT	2004/04/30 18:08
or (interval adj time) or (predetermined adj2 time).ab.) or ((Sconfigur\$ and timeout).ab.) or ((Top/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((Top/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((Top/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (Top/220,222,225,226,227,250.ccls. and (disconse).ab.) or (Top/220,222,225,226,227,250.ccls. and (time adj period) or (period adj time) or timeout or timeout or time adj interval) or (interval).ab.) or ((Sconfigur\$ and timeout).ab.) or ((Top/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((Top/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (Top/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (Top/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (Top/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (Top/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or ((Sconfigur\$ and timeout).ab.) or ((Top/220,222,222,222,227,250.ccls. and (Configur\$ and interval).ab.)) or (Top/220,222,222,222,227,250.ccls. and (Configur\$ and interval).ab.)) or (Top/220,2		1			
adj2 Lime).ab.) not (((Sconfigur\$ and thimeout).ab.) or ((Sconfigur\$ and thimeout).ab.) or ((To9/220,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or ((To9/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((To9/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or (To9/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or (To9/220,222,225,226,227,250.ccls. and (timeout).ab.) or ((Sconfigur\$ and time) or timeout or timeout or timeout or timeout or (predetermined adj2 time)).ab.) or ((Sconfigur\$ and timeout).ab.) or ((Sconfigur\$ and timeout).ab.) or ((Sconfigur\$ and timeout).ab.) or ((Sconfigur\$ and timeout).ab.) or ((Sconfigur\$ and (Configur\$ and interval).ab.) or ((To9/220,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or ((To9/220,222,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or ((To9/220,222,222,222,227,285,250.ccls. and (Configur\$ and interval).ab.) or (To9/220,222,222,222,227,285,250.ccls. and (Configur\$ and interval).ab.) or ((To9/220,222,222,222,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or ((To9/220,222,222,222,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or (To9/220,222,222,222,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or (To9/220,222,222,222,222,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or (To9/220,222,222,222,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or (To9/220,222,222,222,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or (To9/220,222,222,222,225,226,227,250.ccls. and (Configur\$ a			timeout or time-out or (time adj interval)		
adj2 Lime).ab.) not (((Sconfigur\$ and thimeout).ab.) or ((Sconfigur\$ and thimeout).ab.) or ((To9/220,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or ((To9/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((To9/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or (To9/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or (To9/220,222,225,226,227,250.ccls. and (timeout).ab.) or ((Sconfigur\$ and time) or timeout or timeout or timeout or timeout or (predetermined adj2 time)).ab.) or ((Sconfigur\$ and timeout).ab.) or ((Sconfigur\$ and timeout).ab.) or ((Sconfigur\$ and timeout).ab.) or ((Sconfigur\$ and timeout).ab.) or ((Sconfigur\$ and (Configur\$ and interval).ab.) or ((To9/220,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or ((To9/220,222,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or ((To9/220,222,222,222,227,285,250.ccls. and (Configur\$ and interval).ab.) or (To9/220,222,222,222,227,285,250.ccls. and (Configur\$ and interval).ab.) or ((To9/220,222,222,222,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or ((To9/220,222,222,222,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or (To9/220,222,222,222,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or (To9/220,222,222,222,222,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or (To9/220,222,222,222,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or (To9/220,222,222,222,222,225,226,227,250.ccls. and (Configur\$ and interval).ab.) or (To9/220,222,222,222,225,226,227,250.ccls. and (Configur\$ a		i	or (interval adj time) or (predetermined		
period) and network).ab.) or ((Sconfigurs and timeout).ab.) or ((Sconfigurs and timeout).ab.) or ((Sconfigurs and timeout).ab.) or ((To9/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or ((To9/220,222,225,226,227,250.ccls. and (Giscovers and interval).ab.)) or (To9/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (To9/220,221,222,227,228,250.ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval) ab.)) or (interval).ab.) or ((Sconfigurs and timeout).ab.) or ((Sconfigurs and timeout).ab.) or ((Sconfigurs and time adj period) and network).ab.) or ((Sconfigurs and time adj period) and network).ab.) or ((To9/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or ((To9/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (To9/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (To9/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (To9/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (To9/220,222,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (To9/220,222,222,225,226,227,250.ccls. and (time adj period) and network).ab.) or (To9/220,222,222,225,226,227,250.ccls. and (configurs and timeout).ab.) or (To9/220,222,225,226,227,250.ccls. and (ciscove			adj2 time)).ab.) not (((\$configur\$ and	!	
period) and network).ab.) or ((Sconfigurs and timeout).ab.) or ((Sconfigurs and timeout).ab.) or ((Sconfigurs and timeout).ab.) or ((To9/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or ((To9/220,222,225,226,227,250.ccls. and (Giscovers and interval).ab.)) or (To9/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (To9/220,221,222,227,228,250.ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval) ab.)) or (interval).ab.) or ((Sconfigurs and timeout).ab.) or ((Sconfigurs and timeout).ab.) or ((Sconfigurs and time adj period) and network).ab.) or ((Sconfigurs and time adj period) and network).ab.) or ((To9/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or ((To9/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (To9/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (To9/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (To9/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (To9/220,222,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (To9/220,222,222,225,226,227,250.ccls. and (time adj period) and network).ab.) or (To9/220,222,222,225,226,227,250.ccls. and (configurs and timeout).ab.) or (To9/220,222,225,226,227,250.ccls. and (ciscove			timeout).ab.) or ((SconfigurS and (time adi		
and timeout).ab.) or ((Sconfigurs and (time adj period) and network).ab.)) or ((709/220,222,225,226,227,250.ctls. and (configurs and interval).ab.)) or ((709/220,222,225,226,227,250.ctls. and (discovers and interval).ab.)) or (709/220,222,225,226,227,250.ctls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ctls. and (response and interval).ab.)) or timeout or timeout or time adj interval) or timeout or time adj interval) or timeout or time adj interval) or timeout ab.) or ((Sconfigurs) and time adj period) and network).ab.) or ((Sconfigurs) and time adj period) and network).ab.) or ((Sconfigurs) and (configurs and timeout).ab.) or (Sconfigurs) and (configurs)	1				
adj period) and network).ab.j or (709/220,222,252,262,272,250.ccls. and (configurs and interval).ab.) or ((709/220,222,252,262,272,250.ccls. and (configurs and interval).ab.) or (709/220,222,252,262,272,250.ccls. and (response and interval).ab.) or (709/220,222,252,262,272,250.ccls. and (response and interval).ab.) ((709/220,221,222,272,282,250.ccls. and (response and interval).ab.) ((109/220,221,222,272,282,250.ccls. and (response and interval).ab.) or ((interval) ab.) ((interval) ab.) ((interval) ab.) ((interval) ab.) ((interval) ab.) ((interval) ab.) ((interval) ab.) (interval) (inter				•	
(709/220, 222, 225, 226, 227, 250. ccls. and (configurs and interval).ab.) or (709/220, 222, 225, 226, 227, 250. ccls. and (configurs) and interval).ab.) or (709/220, 222, 225, 226, 227, 250. ccls. and (discovers) and interval).ab.) or (709/220, 222, 225, 226, 227, 250. ccls. and (fine adj period) or (period adj time) or timeout or time out or time out or (fine adj interval) or (interval adj time) or (predetermined adj 2 time).ab.) nor ((Sconfigurs) and timeout).ab.) or ((Sconfigurs) and (time adj period) and network).ab.) or ((Sconfigurs) and (configurs) and (configurs) and (time adj period) and network).ab.) or ((Sconfigurs) and (time adj period) and network).ab.)) or ((709/220, 222, 225, 226, 227, 250. ccls. and (response and interval).ab.))) or (709/220, 222, 225, 226, 227, 250. ccls. and (time adj period) and period) and (time adj interval) or (interval adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (interval adj time) or (Sconfigurs) and (time adj period) and network).ab.) or ((Sconfigurs) and (time adj period) and network).ab.) or ((Sconfigurs) and (time adj period) and network).ab.) or ((709/220, 222, 225, 226, 227, 250. ccls. and (configurs) and interval).ab.) or ((709/220, 222, 225, 226, 227, 250. ccls. and (configurs) and interval).ab.) or ((709/220, 222, 225, 226, 227, 250. ccls. and (configurs) and interval).ab.) or ((709/220, 222, 225, 226, 227, 250. ccls. and (configurs) and time-out or (time adj interval) or (interval adj time) or (interval adj					
(configurs and interval).ab.) or ((709/220, 222, 225, 226, 227, 250, ccls. and (configurs and interval).ab.) or (709/220, 222, 252, 226, 227, 250, ccls. and (discovers and interval).ab.)) or (709/220, 222, 252, 226, 227, 250, ccls. and (response and interval).ab.)) or (709/220, 222, 252, 226, 227, 250, ccls. and (response and interval).ab.)) or (109/220, 222, 252, 226, 227, 250, ccls. and (response and interval).ab.)) or (109/220, 222, 252, 226, 227, 250, ccls. and or (interval and timeout).ab.) not (((Sconfigurs and time ad) period) and network).ab.) or (((Sconfigurs and time ad) period) and network).ab.) or (((Sconfigurs and time ad) period) and network).ab.) or (((Tony) (200, 222, 252, 262, 227, 250, ccls. and (configurs and interval).ab.) or (((Tony) (220, 222, 252, 262, 227, 250, ccls. and (configurs and interval).ab.)) or (((Tony) (220, 222, 252, 262, 227, 250, ccls. and (discovers and interval).ab.)) or (((Tony) (220, 222, 252, 262, 262, 272, 250, ccls. and ((Itime ad) period) or (period ad) time) or timeout or time out or (time ad) interval) or (((Sconfigurs and timeout).ab.) or (((Sconfigurs and timeout).ab.)) or (((Sconfigurs and timeout).ab.)) or (((Sconfigurs and (time ad) period) and network).ab.)) or (((Tony) (220, 222, 225, 226, 227, 250, ccls. and (configurs and timeout).ab.)) or (((Sconfigurs and (time ad) period) and network).ab.)) or (((Tony) (220, 222, 225, 226, 227, 250, ccls. and (configurs and interval).ab.)) or (((Tony) (220, 222, 225, 226, 227, 250, ccls. and (configurs and timeout).ab.)) or ((Sconfigurs and time) or ((Tony) (220, 222, 225, 226, 227, 250, ccls. and (configurs and timeout).ab.)) or ((Sconfigurs and time) or (Tony) ((Tony) (220, 222, 225, 226, 227, 250, ccls. and (configurs and time) (time ad) period) and network).ab.)) or ((Sconfigurs and time) or (Tony) (To					
((1709/220, 222, 225, 226, 227, 250. ccls. and (configurs and interval).ab.) or (709/220, 222, 225, 226, 227, 250. ccls. and (discovers and interval).ab.)) or (709/220, 222, 225, 226, 227, 250. ccls. and (response and interval).ab.)) - ((1709/220, 221, 222, 227, 228, 250. ccls. and (response and interval).ab.)) - ((1709/220, 221, 222, 227, 228, 250. ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or ((sconfigurs and timeout).ab.) or ((sconfigurs and time adj period) and network).ab.) or ((formigurs and time adj period) and network).ab.) or (709/220, 222, 225, 226, 227, 250. ccls. and (configurs and interval).ab.) or (709/220, 222, 225, 226, 227, 250. ccls. and (configurs and interval).ab.)) or (709/220, 222, 225, 226, 227, 250. ccls. and (discovers or configurs).ab.)) or (709/220, 222, 225, 226, 227, 250. ccls. and (filme adj period) or (period adj time) or timeout or (709/220, 222, 225, 226, 227, 250. ccls. and (configurs and timeout).ab.) or (709/220, 222, 225, 226, 227, 250. ccls. and (configurs and interval).ab.) or (709/220, 222, 225, 226, 227, 250. ccls. and (configurs and interval).ab.)) or (709/220, 222, 225, 226, 227, 250. ccls. and (configurs and timeout).ab.) or ((sconfigurs and timeout).ab.) or (709/220, 222, 225, 226, 227, 250. ccls. and (configurs and timeout).ab.) or ((sconfigurs and time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (709/220, 222, 225, 226, 227, 250. ccls. and (configurs and timeout).ab.) or (709/220, 222, 225, 226, 227, 250. ccls. and (configurs and t		1	(configure and interval) ab) or		
(configurs and interval).ab.) or (709/220, 222, 252, 262, 272, 250. ccls. and (discovers and interval).ab.)) or (709/220, 222, 252, 262, 262, 272, 250. ccls. and (response and interval).ab.)) or (709/220, 222, 252, 262, 262, 272, 250. ccls. and (file and interval).ab.)) or (709/220, 222, 252, 262, 262, 272, 250. ccls. and (file and interval).ab.) or (file and interval) of (file and interval) of (file and interval) of (file and interval) of (file and interval) of (file and interval) of (file and interval) or (file and inter					
(discovers and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) ((1709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) nor ((\$configur\$ and time adj period) and network).ab.) or ((\$configur\$ and time adj period) and network).ab.) or ((\$configur\$ and time adj adj time) or (709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (response and interval).ab.)) or (709/220, 222, 225, 226, 227, 250.ccls. and (response and interval).ab.)) or (709/220, 222, 222, 226, 227, 250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time).ab.) nor ((\$configur\$ and timeout).ab.) or (\$configur\$ and timeout).ab.) or (\$configur\$ and (time adj period) and network).ab.) or (\$configur\$ and (configur\$ and interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (response and interval).ab.)) or (709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and interval).ab.)) or (709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and timeout).ab.) or (\$configur\$ and timeout).ab.) or (\$configur\$ and time adj period) and network).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and interval).ab.)) or (709					
(discover\$ and interval].ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) 1 ((709/220,222,222,226,227,28,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or time-out or time adj interval) or (interval adj time) or (predetermined adj2 time)) ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (configur\$ and timeout).ab.) or ((\$configur\$ and (configur\$ and interval].ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval].ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval].ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ or configur\$ and interval].ab.) or (response 222,221,222,227,228,250.ccls. and (discover\$ or configur\$ and (discover\$ or configur\$ and rimeout).ab.) or (\$configur\$ and timeout).ab.) or (\$configur\$ and timeout).ab.) or (\$configur\$ and timeout).ab.) or (\$configur\$ and timeout).ab.) or (\$configur\$ and time adj period) and network).ab.) or (\$configur\$ and timeout).ab.) or (+			1
(709/220,222,225,226,227,250.ccls. and (response and interval).ab.) ((1709/220,221,222,227,228,250.ccls.and ((1709/220,221,222,227,228,250.ccls.and ((1709/220,221,222,227,228,250.ccls.and ((1709/220,222,225,226,227,250.ccls.and (time adj) crimeout).ab.) or ((sconfigur\$ and time adj) period) and network).ab.) or ((sconfigur\$ and time adj) period) and network).ab.) or ((sconfigur\$ and time adj) period) and network).ab.) or ((sconfigur\$ and (configur\$ and interval].ab.) or ((709/220,222,225,226,227,250.ccls.and (configur\$ and interval].ab.) or (709/220,222,225,226,227,250.ccls.and (configur\$ and interval].ab.)) or (709/220,222,225,226,227,250.ccls.and (response and interval].ab.)) or (709/220,222,225,226,227,250.ccls.and (response and interval].ab.)) or (709/220,222,225,226,227,250.ccls.and (response and interval].ab.)) or (response and interval].ab.)				}	
(response and interval).ab.)) 1 ((709/220,221,222,227,222,825).ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not ((fconfigurs and timeout).ab.) or (fsonfigurs and timeout).ab.) or (fsonfigurs and timeout).ab.) or (fsonfigurs and timeout).ab.) or ((fsonfigurs and timeout).ab.) or ((foofigurs and timeout).ab.) or ((foofigurs and interval).ab.) or ((foofigurs and interval).ab.) or ((foofigurs and interval).ab.) or ((foofigurs and interval).ab.) or (foofigurs and interval).ab.) or (foofigurs and interval).ab.) or ((foofigurs and interval).ab.) or ((fine adj) period) or (period adj time) or timeout or time-out or time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) or ((fsonfigurs and timeout).ab.) or ((fsonfigurs and time adj) period) and network).ab.) or ((fsonfigurs and time adj) period) or (prodetermined adj time) or (foof)/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (foof)/220,222,225,256,227,250.ccls. and (fresponse and interval).ab.)) or (foof)/220,222,225,256,227,250.ccls. and (configurs and interval) or (interval adj time) or (fromfigurs and time or timeout or time-out or (time adj interval) or (interval adj time) or (ffoofigurs and time adj period) and network).ab.) or (ffoofigurs a					
((1709/220,221,222,227,228,250.ccls. and ((time adj period) or (time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (configur\$ and interval).ab.) or (\$configur\$ and (time adj period) and network).ab.) or (\$configur\$ and (configur\$ and interval).ab.) or (\$configur\$ and (interval).ab.) or (\$configur\$ and (interval).ab.)) or (interval adj time) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) or (\$configur\$ and (time adj period) and network).ab.) or (\$configur\$ and (time adj period					
((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time). ab.) nor ((fsconfigurs) and timeout). ab.) or ((fsconfigurs) and timeout). ab.) or ((fsconfigurs) and (time adj period) and network). ab.) or ((fsconfigurs) and (time adj period) and network). ab.) or ((fsconfigurs) and (time adj period) and network). ab.) or ((fsconfigurs) and (time adj period) and network). ab.) or ((fsconfigurs) and (time adj period) and network). ab.) or ((fsconfigurs) and (configurs) and interval). ab.) or (for)		1			
timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not ((((Sconfigur\$ and timeout).ab.) or ((Sconfigur\$ and timeout).ab.) or ((709/220,222,252,262,272,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,252,262,272,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,252,262,272,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,262,272,250.ccls. and (discover\$ or configur\$).ab. - 1 ((709/220,221,222,227,228,250.ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) nor ((Sconfigur\$ and time adj period) and network).ab.) or ((Sconfigur\$ and time adj period) and network).ab.) or (709/220,222,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,222,225,226,227,250.ccls. and (discover\$ or Sconfigur\$).ab.) or (709/220,222,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,222,225,226,227,250.ccls. and (discover\$ or Sconfigur\$).ab.) or (709/220,222,222,225,226,227,250.ccls. and (configur\$ and interval].ab.)) or (709/220,222,222,225,226,227,250.ccls. and (configur\$ and interval].ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval].ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccl	-	1	((709/220,221,222,227,228,250.ccls. and	USPAT	2004/04/30 18:08
or (interval adj time) or (predetermined adj2 time).ab.) nor ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) and (discover\$ and interval).ab.)) and (discover\$ and interval).ab.) and (fromeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) nor ((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (fresponse and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fresponse and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)		Ì	((time adj period) or (period adj time) or		
or (interval adj time) or (predetermined adj2 time).ab.) nor ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) and (discover\$ and interval).ab.)) and (discover\$ and interval).ab.) and (fromeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) nor ((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (fresponse and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fresponse and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)					
adj2 timeout).ab.) not (((Sconfigurs) and timeout) ab.) or (((Sconfigurs) and timeout) ab.) or (((Sconfigurs) and (time adj period) and network).ab.)) or (((Sconfigurs) and (time adj period) and network).ab.)) or ((709/220,222,225,226,227,250.ccls. and (configurs) and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (discovers) and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discovers) or configurs) ab.) or (709/220,222,225,226,227,250.ccls. and (discovers) or configurs) ab. ((709/220,222,225,226,227,250.ccls. and (tresponse and interval).ab.))) and (discovers) or configurs) ab.					
timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) or (time adj period) or (period add) time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fresponse and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fresponse and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fresponse and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fresponse and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fresponse and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fresponse and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fresponse and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fresponse and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and timeout).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and timeout).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).a					
period) and network).ab.] or ((((Sconfigurs' and (time adj period) and network).ab.)) or (709/220, 222, 225, 226, 227, 250.ccls. and (configurs' and interval).ab.) or ((709/220, 222, 225, 226, 227, 250.ccls. and (configurs' and interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (configurs' and interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (discovers' and interval).ab.)) or (709/220, 222, 225, 226, 227, 250.ccls. and (fresponse and interval).ab.)) and (discovers' or configurs').ab. 1 ((709/220, 221, 222, 227, 228, 250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time).ab.) or ((Sconfigurs') and timeout).ab.) or ((Sconfigurs') and (time adj period) and network).ab.) or ((Sconfigurs') and (time adj period) and network).ab.) or ((Sconfigurs') and (configurs') and (interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (configurs') and interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (fresponse and interval).ab.)) or (709/220, 222, 225, 226, 227, 225. ccls. and (time adj period) and network).ab.)) or ((Sconfigurs') and time out or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) or ((Sconfigurs') and time odj period) and network).ab.)) or ((Sconfigurs') and (time adj period) and network).ab.) or ((Sconfigurs					
and timeout).ab.) or ((sconfigurs and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discovers and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) and (discovers or configurs).ab. - 1 (709/220,221,222,227,228,250.ccls. and (time adj period) or (period add) time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((sconfigurs and time adj period) and network).ab.)) or ((sconfigurs and time adj period) and network).ab.)) or ((709/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or ((sconfigurs and time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discovers and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (time adj period) and network).ab.))) or (709/220,222,225,226,227,250.ccls. and (discovers or sconfigurs).ab 2 ((709/220,221,222,227,228,250.ccls. and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (time adj period) or (period add time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((sconfigurs and timeout).ab.) or ((sconfigurs and time adj period) and network).ab.)) or ((sconfigurs and time adj period) and network).ab.)) or ((sconfigurs and (time adj period) and network).ab.) or ((sconfigurs and (time)).ab. nor ((sconfigurs and (time)).ab. nor ((sconfigurs and (time)).ab. nor ((sconfigurs	1				
adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (1709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fresponse and interval).ab.)) and (discover\$ or configur\$).ab. 1 (709/220,221,222,227,228,250.ccls. and (fime adj period) or (period adj fime) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and (discover\$ or \$configur\$).ab. 2 ((709/220,221,225,226,227,250.ccls. and (response and interval).ab.)) or (predetermined adj2 time)).ab.) or (foconfigur\$ and timeout).ab.) or (foconfigur\$ and timeout).ab.) or ((foconfigur\$ and timeout).ab.) or ((foconfigur\$ and timeout).ab.) or ((foconfigur\$ and timeout).ab.) or ((foconfigur\$ and (time adj period) and network).ab.) or (foconfigur\$ a		1	and timeout) ab) or //configure and /-i		
(709/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configurs) and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discovers) and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and (discovers) or configurs).ab. - 1 ((709/220,221,222,227,228,250.ccls. and (response and interval).ab.))) and (discovers) or configurs).ab. ((709/220,221,222,227,228,250.ccls. and (ctime adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$) and (time adj period) and network).ab.) or (((\$configur\$) and (time adj period) and network).ab.) or (((\$configur\$) and (time adj period) and network).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$) and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$) and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (fiscover\$) and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fiscover\$) and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fiscover\$) and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fiscover\$) or (fisconfigur\$) and (fine adj period) and network).ab.) or (((\$configur\$) and (time adj period) and network).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$) and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$) and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$) and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$) and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$) and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$) and					
(configur\$ and interval).ab.) or ((709/220,222,25,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and (discover\$ or configur\$).ab. 1 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and (discover\$ or \$configur\$).ab. 2 ((709/220,221,222,225,226,227,250.ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval)			1		
((709/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discovers and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and (discovers or configurs).ab. - 1 ((709/220,221,222,226,227,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configurs and time adj period) and network).ab.) or (((\$configurs and time adj period) and network).ab.)) or (((\$configurs and (time adj period) and network).ab.)) or (((\$configurs and (configurs and interval).ab.)) or ((709/220,222,225,226,227,250.ccls. and (configurs and interval).ab.)) or ((709/220,222,225,226,227,250.ccls. and (discovers or \$configurs).ab.) or ((709/220,222,225,226,227,250.ccls. and (tresponse and interval).ab.)) or ((709/220,222,225,226,227,250.ccls. and (tresponse and interval).ab.))) and (discovers or \$configurs).ab. - 2 ((709/220,221,222,227,228,250.ccls. and (time adj period) and network).ab.) or (((\$configurs and time out).ab.) or (((\$configurs and time out).ab.) or (((\$configurs and time out).ab.) or (((\$configurs and time adj period) and network).ab.)) or ((709/220,222,225,226,227,250.ccls. and (configurs and timeout).ab.) or ((\$configurs and (time adj period) and network).ab.) or (((\$configurs and (time adj period) and network).ab.) or ((709/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configurs and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (discovers and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (discovers and interval).ab.)) or ((709/220,222,225,226,227,250.ccls. and (discovers and interval).ab.)) or ((709/220,222,225,226,227,250.ccls. and (discovers and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discovers and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configurs and timeval).ab.)) or (709/220,222,225,226,227,250.ccls	1	1		1	
(configur\$ and interval).ab.) or (709/220,222,25,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and (discover\$ or configur\$).ab. 1 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time).ab.) not (((\$configur\$ and time adj) period) and network).ab.) or ((\$configur\$ and time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ or \$configur\$).ab. 2 ((709/220,221,222,227,228,250.ccls. and (fresponse and interval).ab.))) and (discover\$ or \$configur\$).ab. ((1709/220,221,222,227,228,250.ccls. and (configur\$ and time adj interval) or (interval adj time) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and		1		į	
(709/220,222,225,226,227,250.ccls. and (discovers and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) and (discovers or configurs).ab. 1 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (((\$configur\$ and time adj period) and network).ab.) or (((\$configur\$ and (configur\$ and timeout).ab.)) or ((\$configur\$ and (configur\$ and interval).ab.)) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and (discover\$ or \$configur\$).ab. 2 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or ((\$configur\$ and time).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or ((709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or ((709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/		1		1	
(discover\$ and interval).ab.)) or (709/220,222,252,262,27,250.ccls. and (response and interval).ab.))) and (discover\$ or configur\$).ab. 1 (709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (configur\$ and interval).ab.) or ((709/220, 222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fiscover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fiscover\$ or \$configur\$).ab. 2 ((709/220,222,225,226,227,250.ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) nor ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (fiscover\$ and interval).ab.)) or (709/220,2			(configur\$ and interval).ab.) or	1	
(709/220, 222, 225, 226, 227, 250.ccls. and (response and interval).ab.))) and (discover\$ or configur\$).ab. 1 (709/220, 221, 222, 227, 228, 250.ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and interval).ab.) or (709/220, 222, 225, 226, 227, 250.ccls. and (discover\$ and interval).ab.))) or (709/220, 222, 225, 226, 227, 250.ccls. and (fiscover\$ or \$configur\$).ab. 2 ((709/220, 222, 225, 226, 227, 250.ccls. and (fiscover\$ or \$configur\$).ab. 2 ((709/220, 222, 225, 226, 227, 250.ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).nb.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and interval).ab.)) or (709/220, 222, 225, 226, 227, 250.ccls. and (configur\$ and interval).ab.)) or (709/220, 222, 225, 226, 227, 250.ccls. and (discover\$ and interval).ab.)) or (709/220, 222, 225, 226, 227, 250.ccls. and (discover\$ and interval).ab.)) or (709/220, 222, 225, 226, 227, 250.ccls. and (fiscover\$ and interval).ab.)) or (709/220, 222, 225, 226, 227, 250.ccls. and (fiscover\$ and interval).ab.)) or (709/220, 222, 225, 226, 227, 250.ccls. and (fiscover\$ and interval).ab.)) or (709/220, 222, 225, 226, 227, 250.ccls. and (fiscover\$ and interval).ab.)) or (709/220, 222, 225, 226, 227, 250.ccls. and (fiscover\$ and interval).ab.)) or (709/220, 222, 225, 226, 227, 250.ccls. and	1]	(709/220,222,225,226,227,250.ccls. and	1	
(response and interval).ab.)) and (discover\$ or configur\$).ab. 1 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time).ab.) not ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.))) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) or (709/220,222,225,226,227,250.ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (ab.)) or (ab.)) or (ab.) or (1	1	(discover\$ and interval).ab.)) or		
(response and interval).ab.)) and (discover\$ or configur\$).ab. 1 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time).ab.) not ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.))) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) or (709/220,222,225,226,227,250.ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (ab.)) or (ab.)) or (ab.) or (1	(709/220,222,225,226,227,250.ccls. and		
(discover\$ or configur\$).ab. 1 ((709/220,221,222,27,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) and (discover\$ or \$configur\$).ab. 2 ((709/220,221,222,225,226,227,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (interval adj time) or (interval adj time) or (interval adj time) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and		İ]	1
1 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and interval).ab.) or ((\$configur\$ and (configur\$ and interval).ab.) or ((709/220,222,255,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (time adj period) on (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (\$configur\$ and (time adj period) and and adj and time adj period				1	
((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (ciscover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and (discover\$ or \$configur\$).ab. 1 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) and	_	1		HEDAT	2004/04/20 18.00
timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or (((\$configur\$ and (time adj period) and network).ab.) or (((\$configur\$ and (time adj period) and network).ab.)) or (((\$configur\$ and (time adj period) and network).ab.)) or ((709/220,222,252,26,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and (discover\$ or \$configur\$).ab. 2 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or timeout or timeout or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and (time adj period) and network).ab.)) or (((\$configur\$ and (time adj period) and network).ab.)) or (((\$configur\$ and (time adj period) and network).ab.)) or (((\$configur\$ and (time adj period) and network).ab.)) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or ((709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or ((709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls		-		USPAI	2004/04/30 18:09
or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (((\$configur\$ and (time adj period) and network).ab.)) or ((709/220,22,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and (discover\$ or \$configur\$).ab. - 2 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) and					
adj2 time) ab.) not (((sconfigur\$ and timeout) ab.) or (((sconfigur\$ and (time adj period) and network) ab.) or (((sconfigur\$ and (time adj period) and network) ab.)) or (((sconfigur\$ and (time adj period) and network) ab.)) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval) ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval) ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval) ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval) ab.)) and (discover\$ or \$configur\$) ab. 2 ((709/220,221,222,227,228,250.ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)) ab.) not (((\$configur\$ and timeout) ab.) or ((\$configur\$ and (time adj period) and network) ab.) or (((\$configur\$ and (time adj period) and network) ab.)) or (((\$configur\$ and (configur\$ and interval) ab.) or ((\$configur\$ and (configur\$ and interval) ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval) ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval) ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval) ab.)) or (709/220,222,225,226,227,250.ccls. and (esponse and interval) ab.)))					
timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.))) or (709/220,222,225,226,227,250.ccls. and (fesponse and interval).ab.))) and (discover\$ or \$configur\$).ab. 2 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) nor ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and interval).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and interval).ab.)) or (\$configur\$ and interval).ab.))			or (interval adj time) or (predetermined		
period) and network).ab.) or (((Sconfigur\$ and timeout).ab.)) or ((Sconfigur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) and (discover\$ or \$configur\$).ab. (1709/220,221,222,227,228,250.ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time).ab.) or ((Sconfigur\$ and timeout).ab.) or ((Sconfigur\$ and timeout).ab.) or ((Sconfigur\$ and (time adj period) and network).ab.) or ((Sconfigur\$ and (time adj period) and network).ab.)) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) or			adj2 time)).ab.) not (((\$configur\$ and	1	
and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and (discover\$ or \$configur\$).ab. (ctime adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and				•	
adj period) and network).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) and (discover\$ or \$configur\$).ab. - 2 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or					
(709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) and (discover\$ or \$configur\$).ab. 2 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or					
(configur\$ and interval).ab.) or ((709/220,222,25,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) and (discover\$ or \$configur\$).ab. - 2 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and (time adj period) and network).ab.)) or (((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or			adj period) and network).ab.)) or		
(configur\$ and interval).ab.) or ((709/220,222,25,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) and (discover\$ or \$configur\$).ab. - 2 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and (time adj period) and network).ab.)) or (((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or			(709/220,222,225,226,227,250.ccls. and		1
((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) and (discover\$ or \$configur\$).ab. - 2 ((709/220,221,222,227,228,250.ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (((\$configur\$ and (time adj period) and network).ab.)) or (((\$configur\$ and (time adj period) and network).ab.)) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and			(configur\$ and interval).ab.) or	}	
<pre>(configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and (discover\$ or \$configur\$).ab. ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not ((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and</pre>	1			1	1
(709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and (discover\$ or \$configur\$).ab. - 2 ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and		1			1
<pre>(discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) and (discover\$ or \$configur\$).ab. ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or (((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.)) and</pre>		1			1
(709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and (discover\$ or \$configur\$).ab. ((709/220,221,222,227,228,250.ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and				1	
(response and interval).ab.))) and (discover\$ or \$configur\$).ab. 2 ((709/220,221,222,227,228,250.ccls. and					1
(discover\$ or \$configur\$).ab. ((709/220,221,222,227,228,250.ccls. and ((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.))) and					
2 ((709/220,221,222,227,228,250.ccls. and (time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.))) and			(discovers or sconfigure) of		1
<pre>((time adj period) or (period adj time) or timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or</pre>	_			HODE	1 2024/51/55 55 5
timeout or time-out or (time adj interval) or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or	1	2		USPAT	2004/04/30 18:14
or (interval adj time) or (predetermined adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.))) and			((time adj period) or (period adj time) or	1	
adj2 time)).ab.) not (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and			timeout or time-out or (time adj interval)		
timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.) or (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and		1			
period) and network).ab.) or (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and					
period) and network).ab.) or (((\$configur\$ and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and			timeout).ab.) or ((\$configur\$ and (time adj		
and timeout).ab.) or ((\$configur\$ and (time adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and		l	period) and network).ab.) or (((\$configur\$		
adj period) and network).ab.)) or (709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and					
(709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and					
(configur\$ and interval).ab.) or ((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and		Į			
((709/220,222,225,226,227,250.ccls. and (configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and					
(configur\$ and interval).ab.) or (709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and		1			1
(709/220,222,225,226,227,250.ccls. and (discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and					
(discover\$ and interval).ab.)) or (709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and		[
(709/220,222,225,226,227,250.ccls. and (response and interval).ab.))) and					, I
(response and interval).ab.))) and					
			(709/220,222,225,226,227,250.ccls. and		
(discoverş or Şconfigurş).ti.					
			(alscover\$ or \$contigur\$).ti.	<u> </u>	

	· -			·
-	1	((709/220,221,222,227,228,250.ccls. and	USPAT	2004/04/30 18:13
		((time adj period) or (period adj time) or		
1		timeout or time-out or (time adj interval)		
		or (interval adj time) or (predetermined		
		adj2 time)).ab.) not (((\$configur\$ and		
		timeout).ab.) or ((\$configur\$ and (time adj		
		period) and network).ab.) or (((\$configur\$		}
1	ļ			
1		and timeout).ab.) or ((\$configur\$ and (time		
i		adj period) and network).ab.)) or		
		(709/220,222,225,226,227,250.ccls. and		}
		(configur\$ and interval).ab.) or		
		((709/220,222,225,226,227,250.ccls. and		1
		(configur\$ and interval).ab.) or]
		(709/220,222,225,226,227,250.ccls. and		
		(discover\$ and interval).ab.)) or		İ
				İ
		(709/220,222,225,226,227,250.ccls. and		1
		(response and interval).ab.))) and (echo or		
		ping).ab.	[1
-	1	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT	2004/04/30 18:13
		((time adj period) or (period adj time) or		
		timeout or time-out or (time adj interval)		1
		or (interval adj time) or (predetermined		
				1
		adj2 time)).ab.) not (((\$configur\$ and		1
		timeout).ab.) or ((\$configur\$ and (time adj		
1		period) and network).ab.) or (((\$configur\$		į į
	i	and timeout).ab.) or ((\$configur\$ and (time		
]	adj period) and network).ab.)) or		1
		(709/220,222,225,226,227,250.ccls. and		1.
		(configur\$ and interval).ab.) or		1
		((709/220,222,225,226,227,250.ccls. and		
		(configur\$ and interval).ab.) or		
				1
		(709/220,222,225,226,227,250.ccls. and		1
		(discover\$ and interval).ab.)) or		i
		(709/220,222,225,226,227,250.ccls. and		1
		(response and interval).ab.))) and (echoe or		1
		ping).ab.		1
-	1561	(((time adj period) or (period adj time) or	USPAT	2004/04/30 18:14
		timeout or time-out or (time adj interval)		2001, 01, 30 20:21
		or (interval adj time) or (predetermined		l i
		adj2 time)) and network).ab.]	1
-	81	((((time adj period) or (period adj time) or	USPAT	2004/04/30 18:24
		timeout or time-out or (time adj interval)		
		or (interval adj time) or (predetermined		[
	į	adj2 time)) and network).ab.) and (discover\$		
		or \$configur\$).ab.		į į
-	59	(((((time adj period) or (period adj time)	USPAT	2004/04/30 18:14
		or timeout or time-out or (time adj		-551, 51, 55 15.14
		interval) or (interval adj time) or		
1		(predetermined adia time)) and materially at		
		(predetermined adj2 time)) and network).ab.)	ļ	
		and (discover\$ or \$configur\$).ab.) not		
		(((\$configur\$ and timeout).ab.) or		
		((\$configur\$ and (time adj period) and		
		network).ab.) or (((\$configur\$ and		
]	}	timeout).ab.) or ((\$configur\$ and (time adj		
		period) and network).ab.)) or		
		(709/220,222,225,226,227,250.ccls. and		
		(configur\$ and interval).ab.) or		
		((709/220,222,225,226,227,250.ccls. and		
		(configur\$ and interval).ab.) or		
]		(709/220,222,225,226,227,250.ccls. and		
1		(discover\$ and interval).ab.)) or		į l
!		(709/220,222,225,226,227,250.ccls. and		
[(response and interval).ab.))		
-	2	((((time adj period) or (period adj time) or	USPAT	2004/04/30 18:24
	-	timeout or time-out or (time adj interval)	JOPAI	2004/04/30 10:24
]				
		or (interval adj time) or (predetermined		j l
1		adj2 time)) and network).ab.) and		
		(discover\$).ab.		1
L				